

E-mail: vssmcburlaorissa@gmail.com

OFFICE OF THE DEAN & PRINCIPAL

VSS INSTITUTE OF MEDICAL SCIENCES AND RESEARCH: BURLA, SAMBALPUR
ODISHA, 768017, Telephone no: 0663-2430768

No. 358/VIMSAR, Burla Dated the 21th February 2019

SHORT TENDER CALL NOTICE

Sealed tender are hereby invited by the undersigned from the Reputed Manufacturer/ Authorized Dealer/ D,G,S, & D Rate Contract Holder/EPM Rate Contract Holders and Registered firms under GST Act with validity for one year for supply of **accessories** for installation of **CCTV** to the VIMSAR, Burla, so as to reach the office under sign on or before **05-03-2019** to **4.00 pm** through Regd. Post/ Speed Post/ Couriers only and that will be opened at **4.30 pm** on the same date. The Tederer may attend the office at the time of opening the tender. The delay in receipt of tender paper is the responsibility of the Tenderer.

The details term & conditions of Tender Call Notice along with the products and specification of required item as mentioned in the separate sheet (Annexure- A & B).

The undersigned/ Committee reserve the full right to accept in full or reject any or all the tenders without assigning any reasons thereof.


DEAN & PRINCIPAL
VIMSAR, BURLA
SAMBALPUR
21/2/19

Memo No. 359/VIMSAR

Burla


Date 21-02-2019

Copy to College Website for wide circulation of Sealed Tender call Notice.

Copy to College Notice Board for information.


Copy to Account Officer/ Administrative Officer, VIMSAR, Burla for favour of information and necessary action. They are requested to please remain present at the time of opening of the tenders on dt. 05.03.2019 at 4.30 pm.

Copy to Director, VIMSAR, Burla Burla for favour of information and necessary action.


DEAN & PRINCIPAL
VIMSAR, BURLA
SAMBALPUR
21/2/19

Terms and Conditions

1. The tenderer should be a Registered Firm under GST Act.
2. The rates should be inclusive of all taxes except GST. The GST charges should be clearly mentioned.
3. The delivery of the item should be made in the office of the VIMSAR, Burla in good condition and should be installed in the designated places.
4. Any conditional Tenderer will not be accepted.
5. No advance payment will be made against execution of order. Payment will be released only after successful supply & satisfactory installation and certification.
6. The rates should be valid for one year from the date of approval.
7. Original documents may be produced for verification if asked for.
8. If any information/ documents furnished by the tenderers with the tender papers are found to be misleading or in correct, at any stage their tenders will be cancelled.
9. The make & model of the CCTV accessories must be mentioned in the tender.
10. The product must be of good quality and also ISI/CE/BISI/ISO certified. The documents thereof should also be produced along with the tender.
11. The tenders should be furnished in time with sealed cover duly super scribed as **"Tender for supply of CCTV accessories in due date on dated 05.03.2019 at 4.00 pm"**.
12. The tenders will be received up to 4.00 pm of dt. 05.03.2019 through Regd. Post/Speed Post/ Courier only to the office of the Dean & Principal, VIMSAR, Burla. The tenders received beyond the scheduled date & time will not be entertained. The Postal/ Courier delay is the responsibility of the tenderers. The tenders will be opened on dt. 05.03.2019 by a committee at 4.30 pm. the tenderer may attend while opening tenders.
13. The following documents will be enclosed in the tender paper.
 - ❖ Attested copy of GST Registration Certificate.
 - ❖ Attested copy of the PAN Card.
 - ❖ Rs. 5,000/- in shape of NSC/Bank Draft duly pledged in favour of the Dean & Principal, VIMSAR, Burla should be deposited as EMD which will be refunded after selection of the rate.
 - ❖ The authorization letter of the Principal Firm should be enclosed in the Tender with due attested, if the firm is an authorized dealer.
 - ❖ An undertaking regarding " The quoted rates are not more than the prevailing market price" and will be valid for one year.
 - ❖ Catalogue of the item.
 - ❖ The required documents like ISO/ BIS/ CE/ ISI certificates of the concerned manufacturers should be enclosed in the tender for selection of the quality items.
14. Infrastructure should be perfect that to compatible with Cisco camera which are already installed in three location of college.
The undersigned/ Committee reserves the full right to accept in full or part or reject any or all the tenders without assigning any reasons thereof. The selection will be made on quality basis wherever necessary.


7/1/19
Dean & Principal,
SS Medical College,
VIMSAR, Burla
19-02-09
21/19

Annexure-B

Sl No.	Product Description	Quantity Unit
01	LIU Box	05
02	I/O Box	09
03	6U Rack * 4U size with 3 to 4 no. of 5/15 amp power point	01
04	UPS * 1 KVA UPS with ½ hour power backup for Switch	01
05	<u>Media Converter:</u> * Fiber Modes Single Mode * Wavelength 1310nm * Fiber Cable 9/125Micron * Fiber Cable Distance 20Kms * Fiber Connector SC type * Copper UTP Port RJ-45 * 10/100Mbps auto-sensed, facilitating network upgrade * Full-duplex and half-duplex auto-sensed * Supporting automatic cross connection of twisted pair interfaces * Supporting the transmission of packets up to 1600 bytes	05
06	POE LAN Extender	03
07	<u>POE Injector:</u> * 8 x 10/100Mbps RJ-45 Nway port with 4 PSE/Power over Ethernet Ports * Complies with IEEE802.3, IEEE802.3x and IEEE802.3af standards * Supports MDI/MDI-X auto crossover * Up to 200Mbps data transfer rates in full Duplex Mode * High Performance * Plug and Play Installation * Link/ACT LED for each port & PoE LED for PoE ports * Supports wire speed packets filtering and forwarding rate. * Supports store-and-forward switching infrastructure	03
08	<u>CAT6 Patch Cord:</u> * IEC 60793-1/60794-1.2 * ITU-T REC G.652D * Telecordia GR-20 Core * Operating Temperature: Minus 20°C to Plus 60°C * Storage Temperature: Minus 40°C to Plus 60°C * 4F TO 12 F : 4KMS +/-10% * 24F : 2KMS +/-10% * Suitable for Outdoor Network Direct Burial * Rodent Proof * UV Protection * Polyester based yarns below Armour tape for easy ripping * Thermoplastic Material Tube * Excellent Water Proof Layer and Moisture Resistance * Excellent Crush Resistance Performance * Light Weight and Compact Structure	06
09	Enclosure (For LIU, Media Converter & POE Injector)	12
10	UPS Power Port (For Media Converter & POE Injector)	01
11	P2P	04
12	AMC (5 Years)	

Dean & Principal
VSS Medical College
Burla, Sambalpur

19/12
19/12/19